



FIREPLACE COLLECTION

Designed for Living Engineered to Last

MASTER

FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification



ENTRY LEVEL UNIVERSAL




RADIAT HEAT ONLY

Contractors Range

The Jetmaster Entry level Universal, a classic and one of Jetmaster's original designs, is celebrated as the best open fireplace. Engineered with convection heating, its heavy-duty body and damper control deliver both warmth and efficiency. With options for wood or gas grates, this timeless unit offers a cosy and inviting atmosphere for any home



UNIT / MODEL	MEASUREMENTS (MM)				RECTANGULAR FLUE		ROUND FLUE	
PREMIUM	Body Width	Depth	Body Height	Gather Height	Depth	Width	Ø	Length
700	749	350	605	252	N/A	N/A	225	1200
1050	1096	450	775	252	N/A	N/A	275	1200
FOR TOTAL WIDTH INCLUDING FRAME, ADD 100MM TO WIDTH								
HEATING CAPACITY								
	WOOD M ²	GAS M ²						
700	52	N/A						
1050	72	N/A						



MASTER
FIREPLACES

6 Larch Nook,
Zwartkop Ext. 4, Centurion

082 477 6505
www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

UNIVERSAL



CONVECTION & RADIATED HEAT

Single-sided



The Jetmaster Universal, a classic and one of Jetmaster's original designs, is celebrated as the best open fireplace. Engineered with convection heating, its heavy-duty body and damper control deliver both warmth and efficiency. With options for wood or gas grates, this timeless unit offers a cosy and inviting atmosphere for any home

Width + 100



UNIT / MODEL	MEASUREMENTS (MM)					RECTANGULAR FLUE		ROUND FLUE	
UNIVERSAL	Body Width	Depth	Body Height	Gather Height		Depth	Width	Ø	Length
500	549	355	630	252		200	200	225	1200
600	649	353	630	252		200	200	225	1200
700 S	749	353	630	252		200	200	225	1200
700 D	749	403	680	252		200	200	225	1200
850	899	453	730	252		200	300	275	1200
1050	1099	503	780	252		200	400	325	1200
1200	1249	600	1000	252		350	500	475	1200
1500	1549	600	1000	252		350	500	475	1200
FOR TOTAL WIDTH INCLUDING FRAME, ADD 100MM TO WIDTH									
HEATING CAPACITY M2									
	500	600	700 S	700 D	850	1050	1200	1500	
WOOD	52	56	68	72	80	100	112	128	
GAS	24	32	36	44	52	64	96	100	
SIZE OF WOOD GRATE	470x280	570x280	670x280	670x340	820x340	1020x340	1185x410	1485x410	
SIZE OF GAS GRATE	450x220	520x270	650x270	650x270	800x370	1045x370	1100x340	1400x340	
CONSUMPTION KG PER HOUR / LOW - HIGH	0.23 - 0.38	0.25 - 0.44	0.33 - 0.55	0.33 - 0.55	0.48 - 0.80	0.60 - 1.00	0.72 - 1.20	0.78 - 1.30	



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification



UNIVERSAL





CONVECTION & RADIATED HEAT

Double-sided

Experience the warmth and charm of the Jetmaster Universal, a double-sided version of our classic open fireplace. Renowned as one of Jetmaster's original designs and celebrated as the best in its class, this iconic unit features robust convection heating, a durable build, and precise damper control, maximising both warmth and efficiency. With options for wood or gas grates, this timeless centerpiece brings a cosy, inviting atmosphere to two rooms simultaneously, making it the perfect addition for any home looking to enhance its ambiance and functionality.



UNIT / MODEL	MEASUREMENTS (MM)					RECTANGULAR FLUE		ROUND FLUE	
UNIVERSAL DOUBLE SIDED	Body Width	Depth	Body Height	Gather Height		Depth	Width	Ø	Length
700	750	600	683	225		300	300	350	1200
1050	1100	600	730	252		350	500	475	1200
FOR TOTAL WIDTH INCLUDING FRAME, ADD 100MM TO WIDTH									
HEATING CAPACITY									
	WOOD M²	WOOD - Kw	GRATE SIZE	GAS M²	GAS Kw	GRATE SIZE			
700	100	7	645X490	26 - 44	5	690X510			
1050	120	9	1030X490	68 - 100	7	1045X370			



MASTER
FIREPLACES

6 Larch Nook,
Zwartkop Ext. 4, Centurion

082 477 6505
www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

STAR RANGE

CONVECTION & RADIATED HEAT


Freestanding

Experience the epitome of elegance with the Jetmaster Star Range—a fireplace that combines luxury with functionality for the discerning homeowner. Crafted with a heavy-duty outer body and a smooth, sophisticated finish, the Star Range exudes timeless style. Its lightly sandblasted door adds a refined touch, while the vermiculite inner boards ensure optimal heat retention and durability. Featuring a removable ash pan, cast grid, and a convenient basket grate for anthracite (wood users don't need it), this fireplace makes maintenance a breeze. Complete with an installation manual and poker, the Jetmaster Star Range promises effortless warmth and ambiance for any living space




UNIT / MODEL	MEASUREMENTS (MM)					ROUND FLUE	
STAR RANGE	Body Width	Depth	Body Height	Kw	M²	Ø	Length
RIGEL	714	402	662	7.6	100	150	1200
ADHARA	800	454	662	12	160	150	1200
VEGA	930	534	761	15	190	150	1200
DOUBLE-SIDED	800	525	525	7.6	100	150	1200


Width



Depth



Height



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Glass & Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

FIRESCAPE RANGE




CONVECTION & RADIATED HEAT

Freestanding

The Firescape Range is a beautifully designed fireplace, perfect for those seeking both elegance and powerful heating. With its large glass front, it provides a mesmerising view of the flames, creating a warm and inviting atmosphere. Built with a heavy-duty outer body and smooth finish, the Firescape also features vermiculite inner boards for optimal heat retention. The freestanding model comes complete with a convenient log box, while the built-in model offers a sleek, streamlined look. This fireplace is crafted to deliver impressive warmth, making it an exceptional addition to any space. Grate options are not required for use.



UNIT / MODEL	MEASUREMENTS (MM)					ROUND FLUE	
	Body Width	Depth	Body Height	Kw	M ²	Ø	Length
1060 FIRESCAPE	1085	461	585	17	260	150	1200
LOG BOX	1085	461	402				
1060 DOUBLE SIDED	1085	581	587	17	260	175	1200
LOG BOX	1085	581	402				



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Glass & Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

AMESTI SCANTEK


CONVECTION & RADIATED HEAT

Imported

Imported from Chile, the Amesti Scantek combines sleek design with heavy-duty durability, offering a stunning centerpiece for any space. Its smooth, robust exterior and vermiculite-lined interior maximize heat retention for a cozy, efficient burn. Complete with a poker and installation manual, this thoughtfully crafted unit is as easy to set up as it is to enjoy. Designed without a grate for simplified use, the Amesti Scantek brings an authentic warmth and effortless charm, perfect for those seeking both style and substance in their home



UNIT / MODEL	MEASUREMENTS (MM)					ROUND FLUE	
	Body Width	Depth	Body Height	Kw	M²	Ø	Length
SCANTEK 380	470	500	780	10	120	150	1200





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

AMESTI RONDO 490


CONVECTION & RADIATED HEAT

Imported

Transform any corner into a cozy retreat with the Amesti Round 490. Designed for perfect corner installations, this Chilean-crafted unit boasts a smooth, heavy-duty outer body and heat-efficient vermiculite inner boards. Its compact, rounded design adds a touch of modern elegance while delivering powerful warmth. Complete with a poker and installation manual, the Amesti Round 490 is as easy to set up as it is to enjoy. Bring style, efficiency, and comfort to any space with this standout fireplace.



UNIT /MODEL	MEASUREMENTS (MM)					ROUND FLUE	
AMESTI RANGE	Body Width	Depth	Body Height	Kw	M ²	Ø	Length
RONDO 490	600	490	930	15	190	150	1200



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Glass & Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

STAR RANGE


CONVECTION & RADIATED HEAT

Built in

The Build in Star Range combines timeless design with exceptional performance, making it the ideal slow-combustion stove for any home. With a smooth, heavy-duty outer body and a lightly sandblasted door, this stove is as sturdy as it is stylish. Its vermiculite inner boards, removable ash pan, and durable cast grid ensure effortless maintenance and an efficient, lasting burn. Fire it up and enjoy cosy, reliable warmth with the Build It Star Range!



UNIT / MODEL	MEASUREMENTS (MM)							ROUND FLUE	
STAR RANGE	Body Width	+Frame	Depth	Body Height	+Frame	Kw	M ²	Ø	Length
RIGEL	650	724	377	649	688	7.6	100	150	1200
ADHARA	756	830	398	649	690	12	160	150	1200
VEGA	864	937	476	702	738	15	190	150	1200
DOUBLE-SIDED	800	874	525	525	564	7.6	100	200	1200



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Glass & Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification



FIRESCAPE 780


CONVECTION & RADIATED HEAT

Built in

Elevate your living space with the Cube 780 Built-in Fireplace—a seamless blend of style and functionality. Designed with a heavy-duty outer body and a smooth, refined finish, this fireplace adds a touch of sophistication to any room. The lightly sandblasted door enhances its modern aesthetic, while the vermiculite inner boards maximize heat retention. Featuring a removable ash pan for easy maintenance and a durable cast grid, the Cube 780 offers both beauty and convenience. With a basket grate for anthracite (optional for wood use), installation manual, and poker, this built-in unit is crafted for effortless warmth and ambiance.



UNIT / MODEL	MEASUREMENTS (MM)							ROUND FLUE	
	Body Width	+Frame	Depth	Body Height	+Frame	Kw	M ²	Ø	Length
780 CUBE	780	864	423	664	735	12	160	150	1200





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

FIRESCAPE RANGE

CONVECTION & RADIATED HEAT

Built in

Inspired by mesmerizing natural vistas, the Firescape Built-In Range offers an expansive view of the fire, transforming any room into a warm and inviting haven. Its large glass door provides an uninterrupted, cinematic view of the flames, creating a captivating focal point. With a smooth, heavy-duty outer body and a refined design, this fireplace combines robust functionality with timeless elegance. Enjoy the ambiance of an open landscape right in your living room, as the Firescape Built-In Range enhances every moment with style and warmth.




UNIT / MODEL	MEASUREMENTS (MM)					ROUND FLUE	
	Body Width	Depth	Body Height	Kw	M ²	Ø	Length
1060 FIRESCAPE	1043	412	589	17	260	150	1200
1060 DOUBLE SIDED	1044	539	590	17	260	175	1200



Width + frame



Depth



Width





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

MYNX

RADIATED HEAT ONLY


Freestanding

The Mynx Range is the perfect entry-level fireplace for those seeking reliable performance and timeless style without the premium price. Despite its accessible price point, the Mynx is crafted with a heavy-duty outer body and comes equipped with everything needed for a seamless installation—three 1.2-meter mild steel flue pipes, an escutcheon plate, storm cowl, poker, and detailed installation manual. With options for a log and ash pan grate or a standard gas grate, the Mynx Range combines flexibility and efficiency, making it a popular choice that delivers warmth and value to any space.




UNIT / MODEL	MEASUREMENTS (MM)			WOOD		GAS		ROUND FLUE	
MYNX	Body Width	Depth	Body Height	Grate size	M ²	STD Grate	M ²	Ø	Length
MYNX 7-50	530	395	966	455x260	42	440	26	175	1200
MYNX 8-50	708	527	996	600x335	52	600	40	225	1200


Width



Depth



Height



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

ONYX 600


CONVECTION & RADIATED HEAT

Freestanding


The Onyx Fireplace is a stunning addition to any corner space, with its unique rounded body that adds a touch of elegance to any room. Designed for both beauty and functionality, the Onyx features a heavy-duty outer body and comes complete with everything needed for easy installation: three 1.2-meter mild steel flue pipes, an escutcheon plate, storm cowl, poker, and installation manual. Equipped with a round basket grate, this fireplace is perfect for creating a warm, inviting atmosphere in any home.



UNIT / MODEL	MEASUREMENTS (MM)					WOOD		ROUND FLUE	
	Body Diameter	Depth	Body Height	Base Height	Base Diameter	Grate size	M ²	Ø	Length
600	600 Ø	510	852	335	850 Ø	446 Ø x165	53	225	1200




Body Diameter



Depth

Height





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

HEX

CONVECTION & RADIATED HEAT

Freestanding

The Hex Range Fireplace is a standout piece with its eye-catching hexagonal design that brings modern flair to any home. Crafted with a heavy-duty outer body, it includes 4.2 meters of mild steel flue pipes, an escutcheon plate, a rotating cowl, a poker, and an installation manual for easy setup.




Choose from versatile grate options—basket grate and pan, log pan, or deluxe gas grate—to customize your heating experience. Elevate your living space with the unique charm and practicality of the Hex Range!



UNIT / MODEL	MEASUREMENTS (MM)			WOOD		GAS		HEX FLUE (6 SIZES)			
HEX	Body Width	Depth	Body Height	Basket grate	M ²	DLX Grate	M ²	Side Panel Length	Corner to Corner	Flat Side to Flat Side	Length
800	806	706	1123	500	68	600	24	100	203	177	4200
900	900	780	1199	600d	72	700	40	120	244	212	4200
1000	998	863	1317	700d	90	none	none	150	293	255	4200

Width

Depth



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

LYNX

CONVECTION & RADIATED HEAT

Freestanding


The Lynx Fireplace features a unique design that enhances any corner or serves as a striking centerpiece in your living space. Its heavy-duty outer body ensures durability, while the included 4.2 meters of mild steel flue pipes, escutcheon plate, rotating cowl, poker, and installation manual make setup a breeze.

With multiple grate options—basket grate and pan, log pan, or standard gas grate—the Lynx offers versatility to meet your heating needs, providing both warmth and elegance in your home.




UNIT / MODEL	MEASUREMENTS (MM)			WOOD		GAS		FLUE	
LYNX	Body Width	Depth	Body Height	Basket grate	M ²	DLX Grate	M ²	Size	Length
850	878	420	1165	600 d	68	500	24	225 x 165	4200


Width



Depth



Height



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

IGC DELUXE GAS




CONVECTION & RADIATED HEAT

Manual Operated

Designed exclusively for Jetmaster's convection bodies, the IGC Deluxe Gas Fireplaces deliver the warmth and charm of a traditional fire without the hassle of cleanup. With carefully crafted round coals that glow beautifully when lit, this unit creates an inviting ambience at the flick of a switch. Enjoy the look and feel of a cozy fire, with all the ease and efficiency of gas – perfect for those seeking both style and convenience in their home.



UNIT / MODEL	MEASUREMENTS (MM)					RECTANGULAR FLUE		ROUND FLUE	
	Body Width	Depth	Body Height	Gather Height	Kw	Depth	Width	Ø	Length
IGC DELUXE 550	596	335	630	225	8.8	200	200	225	1200
700	746	335	630	225	11.8	200	200	225	1200
850	896	335	630	225	13.8	200	300	250	1200
HEATING CAPACITY (M ²)									
IGC DELUXE	550	700	850						
Range M ²	44 - 64	58 - 76	68 - 96						
Grate Size	540 x 225	695 x 225	845 x 225						
Consumption kg P/Hour	0.48 - 0.80	0.64 - 1.07	0.75 - 1.25						



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

IGC MK2 GAS




CONVECTION & RADIATED HEAT

Manual Operated

Elevate your Jetmaster convection body with the MK2 Gas Grates, featuring beautifully designed square coals that create a realistic and enchanting fire. The flames dance elegantly between each coal, mimicking the warm glow and inviting charm of a real fire. With effortless operation and no messy cleanup, the MK2 Gas Grates offer the perfect combination of style, warmth, and convenience for a truly cosy home experience.



UNIT / MODEL	MEASUREMENTS (MM)					RECTANGULAR FLUE		ROUND FLUE	
	Body Width	Depth	Body Height	Gather Height	Kw	Depth	Width	Ø	Length
IGC MK2									
550	596	335	630	225	8.8	200	200	225	1200
700	746	335	630	225	11.8	200	200	225	1200
850	896	335	630	225	13.8	200	300	250	1200
1050	1096	335	630	225	14.2	200	400	275	1200
HEATING CAPACITY (M ²)									
IGC MK2	550	700	850	1050					
Range M ²	44 - 64	58 - 76	68 - 96	98 - 110					
Grate Size	542x 250	697x250	847x250	1027x250					
Consumption Kg P/Hour	0.48 - 0.80	0.64 - 1.07	0.75 - 1.25	0.82 - 1.30					





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification



DEXEN MK2 GAS

CONVECTION & RADIATED HEAT


Remote Operated

Elevate your Jetmaster convection body with the MK2 remote Gas Grates, featuring beautifully designed square coals that create a realistic and enchanting fire. The flames dance elegantly between each coal, mimicking the warm glow and inviting charm of a real fire. With effortless operation and no messy cleanup, the MK2 Gas Grates offer the perfect combination of style, warmth, and convenience for a truly cosy home experience.





UNIT / MODEL	MEASUREMENTS (MM)					RECTANGULAR FLUE		ROUND FLUE		
	Body Width	Depth	Body Height	Gather Height		Depth	Width	Ø	Length	
DEXEN IGC										
700	746	335	630	225		200	200	225	1200	
850	896	335	630	225		200	300	250	1200	
1050	1096	335	630	225		200	400	275	1200	
1200	1249	600	1000	252		350	500	475	1200	
1500	1549	600	1000	252		350	500	475	1200	
HEATING CAPACITY (M ²)										
DEXEN IGC	700	850	1050	1200	1500					
Range M ²	68 - 86	78 - 106	108 - 120							
Grate Size	697 x 250	847x250	1027x250							
Consumption kg P/Hour	0.48-0.80	0.64 - 1.07	0.75 - 1.25							

Width



Depth



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification



FLUELESS 700



CONVECTION & RADIATED HEAT

Manual Operated

Experience the perfect combination of modern design and convenience with the 700 Flueless Gas Fireplace. Available in both freestanding and built-in options, this sleek unit requires no flue, making it an ideal choice for any space. Enjoy the instant warmth and cozy ambiance of a real fire, all without the need for a chimney or complex installation. With its clean, minimalist design, the 700 Flueless Gas Fireplace is a hassle-free way to bring comfort and style to your home.



UNIT / MODEL	MEASUREMENTS (MM)			HEATING CAPACITY (M ²)		
	Body Width	Depth	Body Height	Kw	Range	Consumtion Kg P/hour
700 F/STANDING	947	424	709	9.5	48-68	0.48 - 0.80
700 BUILT IN	765	306	606	9.5	48-68	0.48 - 0.80



MASTER
FIREPLACES

6 Larch Nook,
Zwartkop Ext. 4, Centurion

082 477 6505
www.masterfireplaces.co.za



Excludes Corrosion



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

DAMPER UNIT



RADIATED HEAT ONLY

Brick Fireplace Installation

Our high-quality damper units are designed specifically for brick fireplace and braai installations, ensuring an efficient and effective operation. Constructed with a heavy-duty outer body, these units provide exceptional durability and longevity, making them a reliable choice for any setup. The damper control allows for a clean and smooth draw, optimizing airflow for a better fire experience. With the ability to adjust the flow, our damper units enhance combustion efficiency, reducing smoke and maximising heat.



UNIT / MODEL	MEASUREMENTS (MM)								RECTANGULAR FLUE		ROUND FLUE	
	A	B	C	D	E	F	G	H	Width	Breadth	Ø	Length
600	200	150	150	200	100	650	350	550	200	200	225	1200
700 S	200	200	200	200	100	750	400	600	200	200	225	1200
850	200	250	250	300	100	900	450	650	200	300	275	1200
1050	200	300	300	400	100	1100	500	700	200	400	325	1200
1200	350	150	300	500	100	1250	500	700	350	500	475	1200
1500	350	150	300	500	100	1550	500	700	350	500	475	1200





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

KALAHARI BOMA

RADIATED HEAT ONLY




Outdoor Boma Collection

The Kalahari 2 in 1 Firebasket, designed to bring warmth and ambiance to your outdoor gatherings. Featuring a robust heavy-duty steel body with interlocking segments, this firebasket offers exceptional strength and stability.

Equipped with a nickel-plated grill, the Kalahari enhances both functionality and aesthetics, providing a durable surface for cooking and grilling. The included ash pan base plate simplifies cleanup, allowing you to enjoy your fire without the worry of residue.



UNIT / MODEL	MEASUREMENTS (MM)		
KALAHARI	Width	Height	Base
2 IN 1 BOMA	477x477	452	500x500



MASTER

FIREPLACES



Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

MAKOYA STOVE




RADIATED HEAT ONLY

Freestanding Stove

The Makoya Stove is a robust agricultural stove designed to be both practical and efficient. Perfect for outdoor or well-ventilated areas, it's a versatile solution for cooking meals and providing warmth to small spaces. With its durable design and simple functionality, the Makoya Stove is ideal for farmhouses, workshops, or rural setups. Built to last, it combines traditional cooking methods with modern reliability, making it a dependable choice for your daily needs. Cook, heat, and live the Makoya way!



UNIT / MODEL	MEASUREMENTS (MM)								ROUND FLUE(MM)	
	Body Width	Body Depth	Body Height	Base Width	Base Depth	Base Height	Kw	M ²	Ø	Length
MAKOYA	600	300	400	650	346	252	5	50	125	600



MASTER
FIREPLACES



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za



Excludes Glass & Corrosion




STANDARD FREESTANDING INSTALLATION

INSTALLATION GUIDELINE

PLEASE NOTE THAT NOT ALL APPLICATIONS ARE THE SAME. YOUR INSTALLATION MAY DIFFER FROM THIS GUIDELINE.

FLUE TO BE INSTALLED 500MM ABOVE
THE PITCH OF THE ROOF





HOW TO CALCULATE WHAT KILOWATT FIREPLACE YOU NEED.

Step 1

Calculate your room's volume (m³).

Measure your room width, length and height. Multiply those figures with each other to get your room volume.

Step 2

Multiply the cubic metres (volume) by the relevant insulation factor below:

Poorly insulated room: 0.06

Well-insulated room: 0.035

* The result, measured in kilowatts, is the minimum heat output required.





Jetmaster reserves the right to alter specifications, scope of supply and model line up without prior notification

JETMASTER WARRANTY STATEMENT

Jetmaster provides the following warranty terms and conditions for all Jetmaster products, which include fireplaces, barbecues, slow combustion stoves, gas grills, related accessories, and optional extras. These products are warranted against defects in materials and workmanship from the date of purchase. This warranty applies only when the product is used under normal use, in a domestic environment, maintained according to the manufacturer's guidelines, and receives periodic servicing as specified, where applicable.

Additional Warranty Provisions:

- Jetmaster Braai Boxes: Warranted against defects in materials and workmanship for a period of 5 years from the date of invoice, subject to normal use and maintenance.
- Jetmaster Universal, Hex and Lynx Fireplace Boxes: Warranted against defects in materials and workmanship for a period of 5 years from the date of invoice, subject to normal use and maintenance.
- Jetmaster Contractor Universal, Mynx and Onyx Fireplace Boxes: Warranted against defects in materials and workmanship for a period of 5 years from the date of invoice, subject to normal use and maintenance.
- Jetmaster Slow Combustion Fireplace Boxes: Warranted against defects in materials and workmanship for a period of 5 years from the date of invoice, subject to normal use and maintenance.
- Amesti Slow Combustion Fireplace Boxes: Warranted against defects in materials and workmanship for a period of 5 years from the date of invoice, subject to normal use and maintenance.
- Jetmaster Patio bomas, Braaipits, Firepits, Camp braais, Potjie cookers Argentinian grills and Pizza ovens: Warranted against defects in materials and workmanship for a period of 12 Months from the date of invoice, subject to normal use and maintenance.

Please note that this warranty does not cover; corrosion or discoloration for products manufactured from mild steel or stainless steel, or in a manner that is subject to water ingress or sea influence.

Accessories Coverage: Accessories, such as gas grill inserts, ash pans, Basket grates and pans, charcoal starters, Charcoal trays, Flue pipes, cowls and grills, are warranted for a period of 12 months against defects in materials and workmanship. This does not cover issues arising from misuse or fair wear and tear, rust or discoloration.

Exclusions from Warranty: The Jetmaster warranty does not apply in the following situations:

- Lack of proof of purchase;
- Damage or malfunction resulting from improper use or operation outside of intended design parameters;
- Installation not conducted per the Jetmaster Installation and Instruction Manual provided at the time of purchase;
- Lack of general maintenance of your unit and accessories;
- Modifications made to the product without written authorization from Jetmaster;
- Use of non-approved or non-standard accessories attached to the firebox.
- Items in the flame path, such as vermiculite panels, rope seals, baffle plates, door handles and glass are not covered by warranty as these items are particularly prone to damage and general wear and tear.

Claim Process and Limitation of Liability: If a valid claim arises within the warranty period, Jetmaster will, at its discretion, repair or replace the product after investigating and confirming the claim's merits within a reasonable time frame. Jetmaster will not be liable for any consequential loss, damage, or injury resulting from or connected with the installation, use, or operation of any Jetmaster product.

MASTER

FIREPLACES



Jetmaster



6 Larch Nook,
Zwartkop Ext. 4, Centurion



082 477 6505



www.masterfireplaces.co.za